



HOME SOLUTION
Idea Book

Technik für Möbel


Hettich



* Refer Website

Warranty

For Warranty please refer to website.
www.hettich.com/in



Free Design Service:

Looking for Designs to liven up your Living Room, Bedroom, Bathroom & Kitchen. A dedicated team of highly qualified Interior Designers is at your service to provide customised design solution to suit every taste and budget at zero cost to you.

Free Consultation at your doorstep:

Looking for perfect Furniture Fittings solution. A dedicated team of highly qualified professionals is at your service to provide the perfect furniture fittings solution to suit your need and budget at zero cost to you.

Hettich Customer Care Service:

In today's fast paced and technologically advanced era, most of the organizations succumb to the pressure of staying ahead in the competition and often, end up neglecting the most critical aspect of business i.e. CUSTOMERS. Hettich, being a CUSTOMER CENTRIC organization, is very sensitive towards this tendency; hence, we constantly try to provide the best and quality driven products and services.


Enquiry & Customer Services

Toll Free : 1800 209 2096 (office hours)
Email: sales_enquiry@in.hettich.com
customer_services@in.hettich.com
www.hettich.com




Free Training Services:

Free Training Services for carpenters of trade partners and customers



HomeSolution Idea Book

BIG DEMANDS ON DWELLING SPACES



Technik für Möbel

Quality

Innovation

Closeness to Customers

Reliability

Family-owned company Hettich

Quality

Hettich products stand for high quality. Once assembled, our fittings function perfectly day in, day out. High quality products and processes confirm our sense of value, our self confidence and our image. The way to our quality goal is for each one of us to cultivate an intense quality awareness.

Innovation

The right balance of continuity and innovation generates trust in the Hettich brand. We offer timely, high-value solutions for today's furniture; at the same time, we identify and shape the trends of tomorrow. We review and improve existing solutions ready for the future. Driving innovation is our capacity for looking at things from new angles.

Closeness to Customers

For us closeness to customers implies sharpened awareness, attention to detail, a grasp of complex challenges, and efficiency in production and logistics. We know our customers. We're there when our customers need us! The keynote of our partnership with our customers is direct, person-to-person communication.

Reliability

Quality, innovation, closeness to customers – they're nothing without reliability! Reliability encompasses the durability of our products and the reliability of Hettich people – each and every one of us. The solid basis for reliability is robust and stable processes.

The company's origins date back to 1888, when Karl Hettich began making the new clock component he had invented. By 1930, his descendants had diversified into furniture fittings, setting up production in East Westphalia – a center of the German furniture industry. Today, Hettich, still family owned, has become an industry leader with a worldwide reputation. We're one of the world's largest manufacturers of high-quality furniture fittings, with presence in more than 100 countries. The company's success has been built on four enduring values: quality, innovation, close cooperation with customers and absolute reliability. We work to inspire our customers with our ideas and our passion.



Home Solution

Hettich is constantly at the forefront of Home Furniture & Door Hardware Solutions. Creating new and innovative products that add style and value to every home. Our products are designed and fitted to exacting standards making them as durable as they are beautiful.

Hettich offers intelligent solutions for every demand in the home – solutions that come with versatility and convenience. In hard wearing, long life quality. Tailored to any situation, and perfect for addressing the latest design trends.





Architectural Hardware Furniture Solution

#HOME #APARTMENTSPACES

Modern House have cleverly adapted to rapid social changes with creative solutions. From rethinking Apartment configurations to ensuring highly personalized experiences. Throughout history the residence deigns has played a role unlike large projects, which normally require broader societal corporate or political consensus, the apartment or private houses can be realized through the Hettich furniture fittings. It often expresses in the most uncompromising way possible, the vision of a client or an Architect.

In today's world guests expect surprises and where else. but away from home.

Five-star stringent norms even includes silently and soft closing furniture doors that create a peaceful environment. Allowing guests to relax in luxury. Sensys Hinges with integrated soft-closure had no problem meeting this demand. Where there was not enough room to open up hinged wardrobe shutters, TopLine XL provided the designers with a sliding practical solution especially for tight spaces. The requirement for perfectly smooth running action and high loading capacity also followed for all drawers & pull-outs. A brief that Hettich confidently satisfied with Quadro Runners.

The Ideas in this book represents an spectrum of modern furniture trends which supported by Hettich Fittings.

The examples illustrated on the following pages under 6 sections (Bed Room, Kitchen, Living Room, Study Room, Kids Room and Vanity) of apartment show you just how versatile Hettich fittings can be fitted into.

We hope you will find plenty of ideas and suggestions for your own Furniture, interior and houses.



Economy
2 BHK

Standard
3 BHK

Premium
4 BHK



BED ROOM
Peace and tranquillity



KITCHEN
At the centre of life



LIVING ROOM
The variety of life



STUDY ROOM
Talented organizers
for the Study & Office Room



KIDS ROOM
Child's Play



VANITY
Home pampering

Economy
2 BHK



- 1 TopLine 22
- 2 WingLine 170
- 3 TopLine1
- 4 CargoTech Kitchen
- 5 SlideLine M
- 6 SlideLine 66
- 7 WingLine 780
- 8 InnoTech Pot & Pan Drawer
- 9 Architectural Hardware (Details are in next page.)

We create the perfect combination of intelligent technology, functionality & design. with this we develop & produce a wide range of Door Hardware

ProLock 1 HH 2210

Good furniture needs Good solutions for the home, working space & quality of life.
Architectural Hardware Specialist



Stainless Steel
9250321



Antique Brass
9249953



Bright Chrome
9250005



Satin Brass
9250109



1 mm thick SS 304 tube handles
Steel Base Rose with Restoring Spring
Warrantied for 200,000 cycles
Coating of 16 micron by Electroplating



ARCHITECTURAL DOOR HARDWARE MORTISE HANDLES

Technik für Möbel





1. TopLine 22

- ▶ 2-track, top running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium framed doors
- ▶ Door weight up to 50 kg
- ▶ Door height up to 2500 mm
- ▶ Door width from 500 mm
- ▶ Door thicknesses up to 28 mm
- ▶ Silent System as an option in closing direction

2. WingLine 170

- ▶ For 1 folding door with 2 wings
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium framed doors
- ▶ Suitable for use with Sensys hinge with Silent System
- ▶ Door height up to 2200 mm,
- ▶ Door wing width up to 300 mm
- ▶ Opening angle up to 170°



3. LED Wardrobe tube

- ▶ Illuminated wardrobe garment rail including electronic ballast wardrobe and rail supports with motion detector
- ▶ Can be shortened as required up to 600 mm
- ▶ Light switches off automatically after 40 seconds
- ▶ Power: Max 5W



1. TopLine1

- ▶ Inset door position
- ▶ 2-track, top running sliding door system
- ▶ For wooden doors
- ▶ Door weight up to 50 or 75 kg
- ▶ Door height up to 2500 mm
- ▶ Door width from 500 - 3000 mm
- ▶ Door thicknesses 16 - 19 mm
- ▶ Optional height adjustment +/- 2 mm
- ▶ Tool-less fast installation of the front panel

2. Cargo Pull Out Shelf

- ▶ Functional and visually pleasing alternative to wooden shelves, in wardrobes
- ▶ Can be mounted with KA telescopic & Quadro runners
- ▶ Available in three standard carcass widths- 600, 750 & 900 mm & available depth- 500 mm
- ▶ Height of moving shelf 41 mm
- ▶ Loading capacity 30-40 kg
- ▶ Optional plastic bottom
- ▶ Finish: Chrome Plate



3. KA Drawer Runner

- ▶ The ball bearing runners guarantee smooth running action and high lateral stability
- ▶ Hardened steel ball bearings, enclosed in noise absorbing plastic, provide many years of reliable, maintenance free service in any application
- ▶ Available as partial, full or over extension runners

4. Cargo Shoe Rack (V)

- ▶ Easily mountable on carcass side
- ▶ Suitable for use on left or right side
- ▶ Can take minimum 6 pairs of adult shoes
- ▶ Additional space to keep related accessories like shoe polish & brush etc.
- ▶ Compatible with KA telescopic runners
- ▶ With 3 clip-on shoe racks
- ▶ Recommended internal carcass height 750 mm
- ▶ Finish: Chrome Plated



1. OrgaTray 440

- ▶ For general-purpose use
- ▶ Knife holder and/or spice rack can be added
- ▶ Surface finish: Silver



2. CargoPlus Thali & plate inlet

- ▶ Can take upto 16 regular sized plates
- ▶ Can take upto 7 regular sized thalis
- ▶ Less clutter noise as plate touches inlet at two places
- ▶ Order InnoTech separately
- ▶ Only for EB 9.5



3. Cargo Carousel

- ▶ Perfect corner solution, for carcass dimension 900 X 900mm
- ▶ Very stable as installed on a wooden self and easy to fit
- ▶ Three-quarter circle revolving shelves: melamine coated white wooden shelves with anti-slip
- ▶ Each shelf independent, with options to have odd or even numbers of layers
- ▶ 200kg load capacity rotating plate
- ▶ Railing: Chrome Finish



4. Cargo Midway Unit

- ▶ Create surfaces instead of filling gaps: the innovative midway system creates fresh design
- ▶ Highlights in modern kitchens and stands out with its intelligent functionality
- ▶ The midway system can be integrated into the kitchen in a variety of ways.



- 1. SlideLine M**
- ▶ SlideLine M provides the capability of combining open and closed sections in furniture
 - ▶ The 1-track, close fitting sliding door system functions as a practical design element on living-room wall units Shelf systems, kitchen wall units and bathroom furniture



- 2. SlideLine 66 (Glass shutter)**
- ▶ 1-track, bottom running sliding door system
 - ▶ Overlay door position
 - ▶ Door weight up to 10 kg
 - ▶ For aluminium, wooden and glass doors
 - ▶ Two doors can run directly overlapping other
 - ▶ Connection identical at top and bottom
 - ▶ For optional invisible profile attachment



- 3. EcoPower L**
- ▶ Entry-level recessed spotlight Compact light
 - ▶ Recessed light with 68 mm installed diameter



- 1. WingLine 780**
- ▶ For 1 folding door with 2 wings
 - ▶ Overlay door position
 - ▶ For wooden doors
 - ▶ Suitable for use with Sensys hinge with Silent System
 - ▶ Door wing weight up to 10 kg
 - ▶ Door height up to 2200 mm
 - ▶ Door wing width up to 500 mm



- 2. InnoTech Pot & Pan Drawer with DesignSide:**
- ▶ The versatile InnoTech drawer system makes it very easy to meet specific needs and also specific design theme
 - ▶ One can carry interior design elements, material & color concept through to cabinet and drawer interiors
 - ▶ Tool less assembly & disassembly
 - ▶ Perfect drawer action with quadro partial or full extension: optionally with silent system



- 3. Pull-out towel rail**
- ▶ Extension length 260 mm
 - ▶ Extension height 39 mm
 - ▶ Extension width 1-arm 64 mm
 - ▶ Extension width 2-arm 104 mm
 - ▶ Distance between rails 34 mm

Standard
3 BHK



- 1 TopLine XL
- 2 TopLine 22 (Alu. Profile)
- 3 SlideLine 66 (Wooden Shutter)
- 4 SlideLine M
- 5 SlideLine 56
- 6 Vertico Synchro
- 7 Grant 1230
- 8 SlideLine 66 (Alu. Frame)
- 9 Quadro Runner (Wooden Drawer)
- 10 Atira Pantry Unite
- 11 OrgaStore 820
- 12 Wing 77
- 13 ProDecor Handel: Imperia
- 14 Architectural Hardware (Details are in next page.)

We create the perfect combination of intelligent technology, functionality & design. with this we develop & produce a wide range of Door Hardware

ProLock 1 HH 2690

Good furniture needs Good solutions for the home, working space & quality of life.
Architectural Hardware Specialist



Stainless Steel
9228784



Matt Black
9250043



Bright Chrome
9249991



Satin Brass
9250095



Solid SS 304 Die cast Handles
Steel Base Rose with Restoring Spring
Warrantied for 200,000 cycles
Coating of 16 micron by Electroplating



ARCHITECTURAL
DOOR HARDWARE
**MORTISE
HANDLES**

Technik für Möbel

Hettich

1. TopLine XL

- ▶ 2-track, top running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium framed doors
- ▶ Door weight up to 80 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 700 - 2000 mm
- ▶ Door thicknesses 16, 18, 19, 22, 25, 28, 40, 50 mm
- ▶ Silent System in closing, opening and colliding direction
- ▶ Fast installation of runner systems and Silent System

2. Cargo Pull Out Shelf

- ▶ Functional and visually pleasing alternative to wooden shelves, in wardrobes
- ▶ Can be mounted with KA telescopic & Quadro runners
- ▶ Available in three standard carcass widths- 600, 750 & 900 mm & available depth- 500 mm
- ▶ Height of moving shelf 41 mm
- ▶ Loading capacity 30-40 kg
- ▶ Optional plastic bottom
- ▶ Finish: Chrome Plate



3. Quadro Drawer Runner

- ▶ Quadro drawer runners guarantee the ultimate in drawer convenience. With attractive design through concealed installation. With a long service life and unceasing top performance
- ▶ The robust, resilient runners provide the steel balls with optimum control - for perfect vertical and lateral stability
- ▶ The optional Silent System gently shuts drawers in complete silence. The Push to open function automatically opens the pull-out in response to a light press on the front panel - for handleless front panels

4. Cargo Shoe Rack (H)

- ▶ Installation between carcass sides
- ▶ Available in two standard carcass widths- 600 & 900 mm
- ▶ Additional space to keep related accessories like shoe polish & brush etc.
- ▶ Compatible with Quadro & KA telescopic runners
- ▶ Recommended internal carcass height 300 mm
- ▶ Finish: Chrome Plated





1. TopLine 22 Aluminium Profile

- ▶ Classic system for heavy cabinet doors weighing up to 50 kg
- ▶ This sliding door system is ideal for units with doors in widths of 500 mm and over, e.g. in bedrooms
- ▶ With four different guide systems to choose from, the plinth zone can be matched to virtually any furniture design
- ▶ Special running components make the system suitable for use on framed doors



2. SuperSpot eco

- ▶ Robust metal housing
- ▶ Plug-in connection on housing
- ▶ Reliable heat management for maximum light output



3. Cargo Trousers Pull Out

- ▶ Installed between carcass sides
- ▶ Available in two carcass widths- 600 & 900 mm
- ▶ Can take up to 11 trousers (600 mm) & 17 trousers (900 mm)
- ▶ Trousers holder with non-slip profile
- ▶ Handle on both sides for easy pull out
- ▶ Compatible with KA telescopic runners only
- ▶ Loading capacity up to 45kg
- ▶ Finish: Chrome Plated
- ▶ Order KA telescopic runner & clamps separately





1. SlideLine 66 (Wooden shutter)

- ▶ 1-track, bottom running sliding door system
- ▶ Overlay door position
- ▶ Door weight up to 10 kg
- ▶ For aluminium, wooden and glass doors
- ▶ Two doors can run directly overlapping other
- ▶ Connection identical at top and bottom
- ▶ For optional invisible profile attachment



2. SlideLine M


- ▶ 1-track, bottom running sliding door system
- ▶ Overlay door position
- ▶ Wooden, glass or aluminium framed doors
- ▶ Door weight up to 30 kg
- ▶ Door height up to 2000 mm
- ▶ Door width from 300 - 1800 mm
- ▶ Shelf thicknesses 15, 16, 18, 19, 22, 25 mm
- ▶ Height adjustment +/- 2 mm
- ▶ Silent System in closing, opening and colliding direction
- ▶ Tool-less fast installation of the front panel





1. SlideLine 56

- ▶ Bottom running sliding door system
- ▶ Inset door position
- ▶ For wooden doors
- ▶ Door weight up to 40 kg
- ▶ Door height up to 2000 mm
- ▶ Door width 500 - 1000 mm
- ▶ For optional use with Silent System
- ▶ Runner and guide profile in aluminium
- ▶ Tested to EN 15706, Level 3



2. Eco Spot

- ▶ Entry-level recessed spotlight Compact light
- ▶ Evenly illuminated area Recessed light with 58 mm installed diameter



3. Cargo Laundry Basket

- ▶ Easily mountable on carcass side
- ▶ Suitable for use on left or right side
- ▶ Mesh close enough to avoid clothes falling off
- ▶ Compatible with KA telescopic runners
- ▶ Finish: Chrome Plated
- ▶ Order runner & clamps accordingly





- 1. Vertico Synchro**
- ▶ 1-track, vertically running sliding door system
 - ▶ Overlay or inset door position
 - ▶ For wooden doors or wood / aluminium framed doors
 - ▶ Door weight up to 15 kg
 - ▶ Door height 300 - 600 mm
 - ▶ Door width up to 1500 mm
 - ▶ Length of runner profile 1200 to 2500 mm (can be individually shortened)
 - ▶ Tested to EN 15706, Level 2



- 2. Versa Inside 90**
- ▶ Flexible, self-adhesive
 - ▶ Double-side supply lead for length 5000 mm (one cut, two lights),
 - ▶ Low installation height
 - ▶ Can be individually cut to length



- 3. Grant 1230**
- ▶ For doors 1" and up weighing up to 325 lbs/door (147 kg/door)
 - ▶ Precision ball-bearing wheels guarantee a smooth, quiet and effortless operation
 - ▶ Four wheel carrier, center hung for efficient operation
 - ▶ Vertical adjustment $\pm 4"$ (6.4 mm)
 - ▶ Heavy duty aluminum I-beam track; jump proof design





1. SlideLine 66 (Aluminium Frame)

- ▶ One track, bottom-running sliding door system
- ▶ Overlay door position
- ▶ For aluminium / wooden & glass doors
- ▶ Door weight up to 10 kg
- ▶ Two doors can run directly in front of each other
- ▶ Connection identical at top & bottom
- ▶ Optional invisible profile attachment



2. Quadro Runner for wooden drawer:

- ▶ Drawer runners Quadro guarantee the ultimate in drawer convenience. With attractive design from concealed installation. With a long life and unceasing top performance.
- ▶ The robust, resilient tracks provide the steel balls with optimum control - for perfect vertical and lateral stability.
- ▶ Optional Silent System soft-closing gently shuts drawers in complete silence. The Push to open function automatically opens the drawer in response to a light press on the front - for handleless fronts.



3. Sensys Hinge

- ▶ Soft dampened closing.
- ▶ Concealed latch simple, safe & reliable.
- ▶ Minimum door protrusion.
- ▶ Elegant cover cap for the hinge cup.





1. Atira Pantry Unit

- ▶ For individual carcass heights and widths
- ▶ Optimum use of storage space
- ▶ Recommended carcass widths 450 - 1200 mm, over 600 mm with 2 hinged doors
- ▶ Recommended hinge: Sensys 8657i fast assembly concealed hinge
- ▶ Other configurations are also possible



2. CargoMan

- ▶ 2 variant CargoMan Regular & CargoMan Soft close mechanism
- ▶ Pull-out shelves for corner cabinet
- ▶ The shelves can be swivelled out individually and completely
- ▶ Load capacity 20 kg / shelf
- ▶ Minimum inside carcass depth 490 mm
- ▶ With fast assembly system



3. Orgastore 820

- ▶ Adapted to standard carcass width
- ▶ Customised widths can be produced by cutting the profile to size
- ▶ Can be used for nominal lengths of 300 mm and over
- ▶ Plastic elements, grey






- 1. Wing 77**
- ▶ Folding door system with 2 or 4 door panels
 - ▶ Overlay door position
 - ▶ For wooden doors
 - ▶ Door panel weight up to 20 kg (25 kg) with 4 (2) door panels
 - ▶ Door height up to 2400 mm
 - ▶ Door panel width up to 400 mm (500 mm) with 4 (2) door panels
 - ▶ Height adjustment +/- 3 mm
 - ▶ Centre panels recessed 40 mm



- 2. ProDecor Handle: Vieste**
- ▶ Finish: Brushed stainless-steel look



Premium
4 BHK



- 1 InLine XL
- 2 Grant 1260
- 3 Shelf System Amari 200
- 4 TopLine XL (3 Door)
- 5 WingLine 770
- 6 SmarTray
- 7 TopLine M
- 8 SlideLine M
- 9 ArciTech
- 10 ProDecor Handle: Cabo

- 11 Horizon Plus
- 12 SlideLine M
- 13 Narrow Base Unit
- 14 Vertico Synchro
- 15 LegaDrive
- 16 Architectural Hardware (Details are in next page.)

We create the perfect combination of intelligent technology, functionality & design. with this we develop & produce a wide range of Door Hardware

ProLock 1 HH 2770

Good furniture needs Good solutions for the home, working space & quality of life.
Architectural Hardware Specialist



Stainless Steel
9228796




Antique Brass
9249951



Bright Chrome
9250003



Satin Brass
9250107



1 mm thick SS 304 tube handles
Steel Base Rose with Restoring Spring
Warrantied for 200,000 cycles
Coating of 16 micron by Electroplating



ARCHITECTURAL DOOR HARDWARE MORTISE HANDLES

Technik für Möbel





1 InLine XL

- ▶ Top running sliding door system
- ▶ Flush fitted door position
- ▶ For wooden or aluminium framed doors
- ▶ Door weight up to 60 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 750 - 2000 mm
- ▶ Door thicknesses 16 - 25 mm
- ▶ Height adjustment, adjustable door reveal and tilt adjustment



2 OrgaStore 810

- ▶ Adapted to standard carcass width
- ▶ Customised widths can be produced by cutting the profile to size
- ▶ Can be used for nominal lengths of 300 mm and over
- ▶ Can be used for drawer side profile heights of 94 mm and 126 mm
- ▶ Plastic elements, anthracite




3. Grant 1260

- ▶ A heavy duty folding door system for 1" minimum doors up to 175 lbs/door (80 kg/door).
- ▶ Precision ball-bearing wheels for quiet, effortless operation
- ▶ Conforms to ANSI/BHMA standards
- ▶ Accepts full size jamb doors



4. Shelf System Amari 200

- ▶ With its linear, square profile, the Amari 200 shelf system combines design and functionality.
- ▶ Specially developed adapters for the Quadro drawer runners from Hettich permit the use of pull-outs in Amari 200.
- ▶ Two depths for wall mounting, the fact that aluminium profiles can be shortened and the variety of possible constructions permit an endless variety of combinations.




1. TopLine XL (3 Door)

- ▶ 2-track, top-running sliding door system
- ▶ Overlay door position
- ▶ For wooden doors or wood / aluminium-framed doors
- ▶ Door weight up to 80 kg
- ▶ Door height up to 2600 mm
- ▶ Door width 700 - 2000 mm
- ▶ Door thicknesses 16, 18, 19, 22, 25, 28, 40, 50 mm
- ▶ Height adjustment ± 2 mm
- ▶ Door height, door reveal and closing force can be adjusted



2. Cargo Trousler Pull Out

- ▶ Installed between carcass sides
- ▶ Trousler holder with non-slip profile
- ▶ Handle on both sides for easy pull out
- ▶ Compatible with KA telescopic runners only
- ▶ Finish: Chrome Plated
- ▶ Order KA telescopic runner & clamps separately



3. LitePipe

- ▶ Activated by motion sensor
- ▶ Can be individually cut to length
- ▶ Load capacity up to 40 kg / m
- ▶ Can be retrofitted into furniture



1. WingLine 770

- ▶ The perfect synthesis of high loading capacity, attractive design and fast installation.
- ▶ The folding door system simply hooks into the runner profile with guide rollers keeping it place.
- ▶ Quality that's felt in every movement.
- ▶ Designed for doors weighing up to 20 kg.



2. Smart Tray

- ▶ The ideal place for valuables and confidential information.
- ▶ Drawer with Quadro full extension runner and Silent System
- ▶ Powder coated steel
- ▶ Lockable



- 1. TopLine M**
- ▶ 2-track, top running sliding door system
 - ▶ Overlay door position
 - ▶ For wooden doors
 - ▶ Door weight up to 35 kg
 - ▶ Door height up to 2300 mm
 - ▶ Door width 500 - 1250 mm
 - ▶ Door thicknesses 15, 16, 18, 19 mm




- 2. Slideline M**
- ▶ 1-track, bottom running sliding door system
 - ▶ Overlay door position
 - ▶ Wooden, glass or aluminium framed doors
 - ▶ Door weight up to 30 kg
 - ▶ Door height up to 2000 mm
 - ▶ Door width from 300 - 1800 mm
 - ▶ Shelf thicknesses 15, 16, 18, 19, 22, 25 mm
 - ▶ Height adjustment +/- 2 mm
 - ▶ Silent System in closing, opening and colliding direction
 - ▶ Tool-less fast installation of the front panel



- 1. ArciTech internal drawer
 - ▶ For standard carcase width.
 - ▶ With premounted connectors.



- 2. ArciTech
 - ▶ Strong enough for large, heavy drawers
 - ▶ Loading capacities of up to 80 kilograms.
 - ▶ Available in stainless steel, silver, white, anthracite or champagne colour finishes.
 - ▶ Unequalled running action that speaks quality in high end furniture.



- 3. ProDecor Handle: Kabura
 - ▶ Finish: Brushed stainless steel



- 1. Sensys Hinge**
- ▶ Soft dampened closing
 - ▶ Concealed latch simple, safe & reliable
 - ▶ Minimum door protrusion
 - ▶ Elegant cover cap for the hinge cup



- 2. Horizon Plus**
- ▶ HorizonPlus swivel fitting lifts the cabinet door horizontally out of the flush front and swings it to the side.
 - ▶ This function lends itself in particular to multiple-element cabinets where open doors are left positioned in front of adjacent carcass segments. Depending on cabinet design, HorizonPlus can be used on single or double doors as well as on corner units.



- 3. ProDecor Handle:Clivia**
- ▶ Finish: Anodised aluminium



- 1. OrgaStore 400**
- ▶ For pot-and-pan drawer or internal pot-and-pan drawer with railing
 - ▶ Crosswise railings and lengthwise dividers must be ordered separately
 - ▶ It is recommended to fit an anti-slip mat



- 2. SlideLine M**
- ▶ SlideLine M provides the capability of combining open and closed sections in furniture.
 - ▶ The 1-track, close fitting sliding door system functions as a practical design element on living-room wall units, shelf systems, kitchen wall units and bathroom furniture.



- 1. OrgaStore 230**
- ▶ Can be used in any way by combining different dividing elements with the perforated base
 - ▶ Adapted to standard carcass width
 - ▶ Can be cut to any chosen length
 - ▶ Oak, matt, lacquered
 - ▶ Dividing elements must be ordered separately



- 2. SlideLine M**
- ▶ SlideLine M provides the capability of combining open and closed sections in furniture.
 - ▶ The 1-track, close fitting sliding door system functions as a practical design element on living-room wall units, shelf systems, kitchen wall units and bathroom furniture.



1. ArciTech
- ▶ Strong enough for large, heavy drawers
 - ▶ Loading capacities of up to 80 kilograms
 - ▶ Available in stainless steel, silver, white, anthracite or champagne colour finishes
 - ▶ Unequalled running action that speaks quality in high end furniture



2. Narrow base unit
- ▶ Carcase height 750 mm max
 - ▶ Carcase width 300 mm max
 - ▶ Actro drawer runner is required on the left and right, mounted diagonally



1. Vertico Synchro

- ▶ 1-track, vertically running sliding door system
- ▶ Overlay or inset door position
- ▶ For wooden doors or wood / aluminium-framed doors
- ▶ Door weight up to 15 kg
- ▶ Door height 300 - 600 mm
- ▶ Door width up to 1500 mm

2. SlideLine M

- ▶ 1-track, bottom running sliding door system
- ▶ Overlay door position with Wooden, glass or aluminium framed doors
- ▶ Door weight up to 30 kg & height up to 2000 mm
- ▶ Door width from 300 - 1800 mm
- ▶ Shelf thicknesses 15, 16, 18, 19, 22, 25 mm



3. Sensys Hinge

- ▶ Soft dampened closing.
- ▶ Concealed latch simple, safe & reliable.
- ▶ Minimum door protrusion.
- ▶ Elegant cover cap for the hinge cup.

4. ProDecor Handle: Touch in

- ▶ Bright chrome plated



- 1. LegaDrive**
- ▶ For variable desk top sizes: depth 800 - 1000 mm & width 1200 - 2000 mm
 - ▶ Desk top support frames adjustable in width in increments of 50 mm
 - ▶ Power assisted height adjustment from 620 - 1295 mm
 - ▶ Lifting range 675 mm
 - ▶ Max. lifting capacity 120 kg with even desk loading
 - ▶ Height adjustment with soft start
 - ▶ Nominal voltage 230 V / 50 Hz
 - ▶ Low energy consumption (standby 0.3 W max.)



- 2. WingLine 230**
- ▶ For 1 folding door with 2 wings
 - ▶ Overlay door position
 - ▶ For wooden doors
 - ▶ Suitable for use with Sensys hinge with Silent System
 - ▶ Door wing weight 20 to 25 kg
 - ▶ Door height up to 3000 mm
 - ▶ Door wing width up to 600 mm

Drawer Accessories



Corner Solutions



Pot & Pan Drawer Accessories



Bottle Pull out



Pantry Units



Under Sink Units



Pantry Units / Over Head Accessories




Under Sink Units



Sliding System for Wardrobes




Wardrobe Interiors



Sliding System for Wardrobes




Wardrobe Interiors



Sliding System for Wardrobes




Wardrobe Interiors



Sliding Folding System for Wardrobes



Wardrobe Interiors



Registered & Head Office:**Hettich India Private Limited**

302, Durolite House,
Opp. SAB TV, New Link Road,
Andheri (West), Mumbai - 400 053
Phone: +91 22 2674 3289/3356/4089
Fax: +91 22 2674 3267

Delhi Office:**Hettich India Private Limited**

A-26/4, 1st floor,
Mohan Co-operative Industrial Estate,
New Delhi - 110 044
Phone: +91 11 4889 4000, 4889 4005
Fax: +91 11 4889 4044

Vadodara Factory:

Plot No. 304, Dhanora,
Nandesari Road,
Near ECPL,
Village - Dhanora - 391 346
Dist. - Vadodara
Tel: + 91 26 5656 9003

Application Centres:**New Delhi:**

61, Panchkuian Road,
New Delhi - 110 001
Ph. No. : +91 11 2358 0713,
2358 4603

Kolkata:

2nd Floor, Unit Number 2A,
Tirumala 22,
East Topsia Road,
Kolkata - 700 046
Ph. No. : +91 85850 44725

Bangalore:

Adventz Center, Ground Floor 28,
Cubbon Road, Shivaji Nagar,
Bangalore - 560 001
Ph. No. : +91 80 4530 0400,
4530 0401

Indore:

Office No.106 and 107-A,
"Brilliant Titanium",
Plot No.9, Scheme No.78, Part-II,
Indore - 452 010, Madhya Pradesh,
Ph. No. : +91 93 0171 7343

Training Center:

Hettich Poddar Wood Work Institute
Plot No.2, First Floor,
DLF Industrial Estate - 1
Near NHPC Metro Station
Faridabad, Haryana
Email: info@hpwwi.com
Ph: 0129 - 4203888

Mumbai:

202, Durolite House, Opp. SAB TV,
New Link Road, Andheri (West),
Mumbai - 400 053
Ph.No. : +91 22 2639 9707

Hyderabad:

" Sai Krishna "
797 - A, Road No. 36,
Jubilee Hills,
Hyderabad - 500 034
Ph. No. : +91 40 2355 8994

Ahmedabad:

1st Floor, Unit No. 102,
Safal Pegasus,
Anand Nagar,
Ahmedabad - 380 015,
Ph. No. : +91 79 4032 2824

Kochi:

41/2062D, 2nd Floor
Adjacent to standard chartered
bank, Palarivattom signal
junction, NH 47 By-pass,
Kochi - 682 028

Chennai:

"Heavitree", Ground Floor,
47, Spur Tank Road,
Chetpet, Chennai - 600 031
Ph. No. : +91 44 4263 7227

Pune:

Ishanya Speciality Mall,
C G 00-01, 2nd floor,
Arcade-2, Opp.Golf Course,
Yerwada, Pune - 411 006,
Ph. No. : +91 20 4132 2638

Chandigarh:

2nd Floor, Aspire Tower,
Plot no. 55, Industrial
& Business park, Phase 1,
Chandigarh - 160 002
Ph. No. : +91 93 1755 7195

Enquiry & Customer Services

Toll Free : 1800 209 2096 (office hours)

Email: sales_enquiry@in.hettich.com

customer_services@in.hettich.com

www.hettich.com

Technik für Möbel



Hettich