



The last word in sliding perfection:
Sliding door system TopLine XL

All the benefits at a glance

Technik für Möbel

Hettich

Puristic design of large fronts



Advanced technology, discreet look:

the running component is extremely shallow, making it hardly visible. The Silent System ist almost completely concealed behind the profile, leaving the spotlight on your wardrobe's design.



Productvideo
<https://www.hettich.com/short/8c6323>



Elegant look from clip-on installation:
ceiling height wardrobes without visible screws.




Aesthetic appeal all round:
the bottom guide profile is set back beneath the base panel -
almost hiding it from view.



Perfectly finished runner profile:
self-adhesive decorative tapes available in 3 classy colours - champagne, white and black - can be used to match the profile's visible surface to the wardrobe interior for a look of harmony.

Experience unequalled user convenience





Impressive user convenience:

very low opening forces mean the doors are easily opened with a mere stroke of the hand. The new generation Silent System then slows the doors down particularly gently.

Experience unequalled user convenience



Practical convenience:

the centre door can be opened to the right and left. On closing, it is gently slowed down from either direction and silently pulled into the end position.

TopLine XL in motion
<https://www.hettich.com/short/e011b0>





Smooth, quiet running action:
the rollers continue to move in virtual
silence even after prolonged periods out
of use.


Install doors easily and securely





Silent System installation made easy:

calculating the position of the Silent System with complicated formulae and accurately measuring everything out - that was yesterday. The Silent System elements simply screw into the end cap - job done!!




Correct installation guaranteed:

the Silent System element can only be fitted in the end cap in the correct position. This reliably prevents any malfunctioning and damage to the system.

Incorrect installation ruled out:


there is no need to activate the Silent System. After closing a door for the first time, Silent System automatically works correctly. Even if the door is installed on the wrong side of the Silent system element.



Innovative floor standing guard:


before fitting them, the doors can be set down on the floor without having to worry about damaging them. The bottom guide components then glide up automatically.

Install doors easily and securely



Assembly animation
<https://www.hettich.com/short/8bd317>





Perfect overlay adjustment:
adjust door overlay by any amount with
the door closed – for instantly visible
results. Without any tools whatsoever.

Straightforward height adjustment:
the quickest way to adjust sliding doors
is when they are closed. Door height is
conveniently adjusted from the front
and gap alignment can be checked
straight away. Alternatively, ceiling height
constructions are adjusted from the side.

www.hettich.com

Order no.: 9288378
1902-036_Toplins-XL_ArtFolder_0120_HMW/en

Technik für Möbel 
Hettich