AvanTech YOU, full extension runner with Silent System

▸ Drawer, height 77 mm (space required 82 mm),
Load capacity M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg b) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg c) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg Load capacity 30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 403 mm), 30 kg / 40 kg e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg b) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg c) 400 mm (space required 403 mm), 30 kg / 40 kg d) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg e) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg f) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg g) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 403 mm), 30 kg / 40 kg e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Pot-and-pan drawer, height 251 mm (space required 256 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 403 mm), 30 kg / 40 kg c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

Inlay pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 403 mm), 30 kg / 40 kg c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Internal drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 282 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 312 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 412 mm), 30 kg / 40 kg e) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 662 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation
- Follower for internal front panel

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

Internal drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut) Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 300 mm (space required 312 mm), 10 kg / 30 kg / 40 kg b) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg c) 400 mm (space required 412 mm), 30 kg / 40 kg d) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg e) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg f) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg g) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation
- Follower for internal front panel

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

Internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 282 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 312 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 412 mm), 30 kg / 40 kg e) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 662 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation
- Follower for internal front panel

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Inlay internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 412 mm), 30 kg / 40 kg c) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 662 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation
- Follower for internal front panel

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

▸ Internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 282 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 312 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 412 mm), 30 kg / 40 kg e) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 662 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Silent System

Inlay internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Silent System - integrated soft closing for quiet and gentle closure

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 362 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 412 mm), 30 kg / 40 kg c) 450 mm (space required 462 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 512 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 562 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 612 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 662 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Locking systems
- Adapter for 10 mm fronts
- Interior organisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Drawer, height 77 mm (space required 82 mm),
Load capacity M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg b) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg c) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg Load capacity 30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

Drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 403 mm), 30 kg / 40 kg e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg b) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg c) 400 mm (space required 403 mm), 30 kg / 40 kg d) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg e) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg f) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg g) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 303 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 403 mm), 30 kg / 40 kg e) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Pot-and-pan drawer, height 251 mm (space required 256 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 403 mm), 30 kg / 40 kg c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Inlay pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 403 mm), 30 kg / 40 kg c) 450 mm (space required 453 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 503 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 553 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 603 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 653 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

Internal drawer, height 101 mm (space required 106 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 421 mm), 30 kg / 40 kg e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 671 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Internal drawer, height 139 mm (space required 144 mm),
Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut) Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 421 mm), 30 kg / 40 kg e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

Internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 421 mm), 30 kg / 40 kg e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 671 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

Inlay internal pot-and-pan drawer, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 421 mm), 30 kg / 40 kg c) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 671 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 10 kg / 30 kg / 40 kg b) 300 mm (space required 321 mm), 10 kg / 30 kg / 40 kg c) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg d) 400 mm (space required 421 mm), 30 kg / 40 kg e) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg f) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg g) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg i) 650 mm (space required 671 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open Silent

▸ Inlay internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), Load capacity XS (10 kg) / M (30 kg) / L (40 kg) / XL (70 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Actro YOU or Quadro YOU runner system
- Actro YOU drawer runner with integrated synchronisation, gentle and strong
- Push to open Silent - opening in response to a light push, silent and soft closing

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 371 mm), 10 kg / 30 kg / 40 kg b) 400 mm (space required 421 mm), 30 kg / 40 kg c) 450 mm (space required 471 mm), 30 kg / 40 kg / 70 kg d) 500 mm (space required 521 mm), 30 kg / 40 kg / 70 kg e) 550 mm (space required 571 mm), 30 kg / 40 kg / 70 kg h) 600 mm (space required 621 mm), 30 kg / 40 kg / 70 kg g) 650 mm (space required 671 mm), 70 kg Load capacity 10/30/40/70 kg to EN 15338 Level 3. Integrated opening system with soft closing. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Silent synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

Drawer, height 77 mm (space required 82 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 450 mm (space required 453 mm), 30 kg b) 500 mm (space required 503 mm), 30 kg c) 550 mm (space required 553 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Drawer, height 101 mm (space required 106 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 30 kg b) 300 mm (space required 303 mm), 30 kg c) 350 mm (space required 353 mm), 30 kg d) 400 mm (space required 403 mm), 30 kg e) 450 mm (space required 453 mm), 30 kg f) 500 mm (space required 503 mm), 30 kg g) 550 mm (space required 553 mm), 30 kg h) 600 mm (space required 603 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Drawer, height 139 mm (space required 144 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut) Stainless steel look.	Drawer side profiles and drawer runners in nominal length and load class: a) 300 mm (space required 303 mm), 30 kg b) 350 mm (space required 353 mm), 30 kg c) 400 mm (space required 403 mm), 30 kg d) 450 mm (space required 453 mm), 30 kg e) 500 mm (space required 503 mm), 30 kg f) 550 mm (space required 553 mm), 30 kg g) 600 mm (space required 603 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Pot-and-pan drawer, height 187 mm (space required 192 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 273 mm), 30 kg b) 300 mm (space required 303 mm), 30 kg c) 350 mm (space required 353 mm), 30 kg d) 400 mm (space required 403 mm), 30 kg e) 450 mm (space required 453 mm), 30 kg f) 500 mm (space required 503 mm), 30 kg g) 550 mm (space required 553 mm), 30 kg h) 600 mm (space required 603 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Pot-and-pan drawer, height 251 mm (space required 256 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut)	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 30 kg b) 400 mm (space required 403 mm), 30 kg c) 450 mm (space required 453 mm), 30 kg d) 500 mm (space required 503 mm), 30 kg e) 550 mm (space required 553 mm), 30 kg f) 600 mm (space required 603 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Inlay pot-and-pan drawer, height 187 mm (space required 192 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 353 mm), 30 kg b) 400 mm (space required 403 mm), 30 kg c) 450 mm (space required 453 mm), 30 kg d) 500 mm (space required 503 mm), 30 kg e) 550 mm (space required 553 mm), 30 kg f) 600 mm (space required 603 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Internal drawer, height 101 mm (space required 106 mm), load capacity M (30 kg)

- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 30 kg b) 300 mm (space required 321 mm), 30 kg c) 350 mm (space required 371 mm), 30 kg d) 400 mm (space required 421 mm), 30 kg e) 450 mm (space required 471 mm), 30 kg f) 500 mm (space required 521 mm), 30 kg g) 550 mm (space required 571 mm), 30 kg h) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Internal drawer, height 139 mm (space required 144 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer profile on top of drawer side profile: a) in drawer side profile colour b) in accent colour (aluminium, stainless steel, chrome, oak, walnut) Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 300 mm (space required 321 mm), 30 kg b) 350 mm (space required 371 mm), 30 kg c) 400 mm (space required 421 mm), 30 kg d) 450 mm (space required 471 mm), 30 kg e) 500 mm (space required 521 mm), 30 kg f) 550 mm (space required 571 mm), 30 kg g) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Internal pot-and-pan drawer, height 187 mm (space required 192 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 30 kg b) 300 mm (space required 321 mm), 30 kg c) 350 mm (space required 371 mm), 30 kg d) 400 mm (space required 421 mm), 30 kg e) 450 mm (space required 471 mm), 30 kg f) 500 mm (space required 521 mm), 30 kg g) 550 mm (space required 571 mm), 30 kg h) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Inlay internal pot-and-pan drawer, height 187 mm (space required 192 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Closed internal front.	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 371 mm), 30 kg b) 400 mm (space required 421 mm), 30 kg c) 450 mm (space required 471 mm), 30 kg d) 500 mm (space required 521 mm), 30 kg e) 550 mm (space required 571 mm), 30 kg f) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

▸ Internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through designer profiles or DesignCapes in various colours
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of designer elements: a) Designer profile on top of drawer side in drawer side colour or accent colour (aluminium, stainless steel, chrome, oak, walnut) b) DesignCape on top of drawer side/outer side in anodised aluminium or stainless steel look Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 270 mm (space required 291 mm), 30 kg b) 300 mm (space required 321 mm), 30 kg c) 350 mm (space required 371 mm), 30 kg d) 400 mm (space required 421 mm), 30 kg e) 450 mm (space required 471 mm), 30 kg f) 500 mm (space required 521 mm), 30 kg g) 550 mm (space required 571 mm), 30 kg h) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com

AvanTech YOU, full extension runner with Push to open

Inlay internal pot-and-pan drawer with customisable front, height 187 mm (space required 192 mm), load capacity M (30 kg)



- Slimline, sleek 13 mm drawer side profile without visible openings
- Drawer side profiles straight on the inside and outside
- Highly customisable through inlays in glass or any chosen materials/looks
- Invisibly integrated vertical, lateral and tilt adjustment
- Suitable for use with Quadro YOU runner system
- Push to open - opening in response to a light push

Specification

AvanTech YOU internal pot-and-pan drawer from Hettich, powder coated in: a) silver aluminium colour b) pure matt white c) metal pigmented anthracite Finish of Inlay drawer side panel: a) clear glass b) customised Finish of customisable internal front in half height or full height: a) clear glass b) customised	Drawer side profiles and drawer runners in nominal length and load class: a) 350 mm (space required 371 mm), 30 kg b) 400 mm (space required 421 mm), 30 kg c) 450 mm (space required 471 mm), 30 kg d) 500 mm (space required 521 mm), 30 kg e) 550 mm (space required 571 mm), 30 kg f) 600 mm (space required 621 mm), 30 kg Load capacity 30 kg to EN 15338 Level 3. Integrated opening system. Integrated vertical, lateral and tilt adjustment

Optional features

- Adapter for 10 mm fronts
- Interior organisation
- Push to open Synchronisation

Further information: www.hettich.com