

TopLine L

- ▶ Sliding door system for wardrobes, hallway units as well as storage cupboards, in immaculate furniture design thanks to working components hidden almost entirely from view, for doors weighing up to 50 kg



- ▶ Silky smooth movement – almost inaudibly quiet and luxurious running action
- ▶ Fascinatingly easy to open and close with very low opening force
- ▶ First class convenience from Silent System
- ▶ Efficient use of storage space
- ▶ Immaculate furniture design thanks to working components that can hardly be seen
- ▶ Easy, fast system and door installation

Specification

TopLine L from Hettich for furniture applications. Sliding door system for wardrobes, hallway units and storage cupboards. Top running system for 2 or 3-door cabinets with overlay doors. Soft closing, optional soft opening and soft colliding. Minimal door protrusion for interior organisation with a generous amount of space. Stacked runners for intuitive and secure door installation. Optimum reveal alignment can be achieved by vertical and door overlay adjustment.

- ▶ For wooden doors
- ▶ Door weight up to 50 kg
- ▶ Door width: 550 – 1500 mm
- ▶ Door height up to 2600 mm
- ▶ Door thickness: 10 – 30 mm
- ▶ Height adjustment: +/- 2 mm
- ▶ Overlay adjustment: max. 25 mm
- ▶ Tested to DIN EN 15706, Level 3

Optional features

- ▶ Guide profile underneath or in front of bottom panel
- ▶ Soft closing, opening and colliding
- ▶ Thin door connection
- ▶ Cover profile for the front most door
- ▶ Decorative tape for the runner profile
- ▶ Adjustment fittings



Further information: www.hettich.com

TopLine L on the top panel

- ▶ Sliding door system for cabinets with soft closing and opening, for doors weighing up to 50 kg



- ▶ Particularly adaptable, concealed sliding door system for wardrobes, hallway units and storage cupboards.
- ▶ Quiet and gentle opening and closing thanks to perfect running performance as well as soft closing and opening function
- ▶ Easily adjustable in various directions for maximum flexibility in designing cabinets and wardrobes
- ▶ Optimum use of space inside furniture
- ▶ Time saving, fast installation of runner profiles and doors

Specification

Hettich TopLine XL on the top panel for furniture applications. Sliding door system for wardrobes, hallway units and storage cupboards. Top running system for 1, 2 or 3-door cabinets with overlay doors. Concealed soft closing and soft opening as standard. Doors fully overlap, optimising the use of space inside furniture. Low running noises. Low opening forces. Time saving, fast installation of runner profiles and doors.

- ▶ For wooden doors or wood / aluminium framed doors
- ▶ Door weights up to 50 kg
- ▶ Door width 700 - 1500 mm
- ▶ Door height up to 2600 mm
- ▶ Door thickness 16 - 40 mm
- ▶ Height adjustment +/- 3 mm
- ▶ Tested to DIN EN 15706, Level 3



Further information: www.hettich.com

TopLine L in front of top panel

- ▶ Sliding door system for cabinets with soft closing and opening, for doors weighing up to 50 kg



- ▶ Particularly adaptable sliding door system for wardrobes, hallway units and storage cupboards.
- ▶ Quiet and gentle opening and closing thanks to perfect running performance as well as soft closing and opening function
- ▶ Optimum use of space inside furniture
- ▶ Time saving, fast installation of doors

Specification

Hettich TopLine XL in front of top panel for furniture applications. Sliding door system for wardrobes, hallway units and storage cupboards. Top running system for 1, 2, 3 or 4-door cabinets with overlay doors. Soft closing and soft opening as standard. Doors fully overlap, optimising the use of space inside furniture. Low running noises. Low opening forces. Time saving, fast installation of doors.

- ▶ For wooden doors or wood / aluminium framed doors
- ▶ Door weights up to 50 kg
- ▶ Door width 700 - 1500 mm
- ▶ Door height up to 2600 mm
- ▶ Door thickness 16 - 40 mm
- ▶ Height adjustment +/- 3 mm
- ▶ Tested to DIN EN 15706, Level 3



Further information: www.hettich.com